1

1.

CLAIMS

A selective bird feeder, comprising:

2	a selective housing having at least one sidewall and a base;
3	a removable top supported by the at least one sidewall of the selective housing;
4	and
5	a seed holder contained within the selective housing.
1	2. The selective bird feeder of claim 1, further including a space disposed
2	between a sidewall of the seed holder and the at least one sidewall of the selective
3	housing.
1	3. The selective bird feeder of claim 2, wherein the space is about 1.0
2	inches.
1	4. The selective bird feeder of claim 3, wherein the space is about 1.5
2	inches.
1	5. The selective bird feeder of claim 4, wherein the space is about 2.0
2	inches.
1	6. The selective bird feeder of claim 1, wherein the seed holder is
2	supported on the base of the selective housing.
	The coloring him for device following the base of the selective
1	7. The selective bird feeder of claim 6, wherein the base of the selective
2	housing is substantially solid.

to the little half different i materiale de sel production de la companie de la c

2

1	8.	The selective bird feeder of claim 6, wherein the base of the selective		
2	housing in	ncludes apertures.		
1	9.			
2	of the sele	ective housing includes apertures having a maximum dimension of about 1.0		
3	inches.			
1	10			
2	of the sele	ective housing includes apertures having a maximum dimension of about 1.5		
3	inches.			
1	1:	1. The selective bird feeder of claim 1, wherein the at least one sidewall		
2	of the sele	of the selective housing includes apertures having a maximum dimension of about 2.0		
3	inches.			
1	1:	2. The selective bird feeder of claim 6, wherein the top of the selective		
2	housing i	is substantially solid.		
1	1	3. The selective bird feeder of claim 6, wherein the top of the selective		
2	housing i	includes apertures.		
1	1	4. The selective bird feeder of claim 1, wherein the top of the selective		
2	housing	includes apertures having a maximum dimension of about 1.0 inches.		
1	1	5. The selective bird feeder of claim 1, wherein the top of the selective		
2	housing	includes apertures having a maximum dimension of about 1.5 inches.		
1	1	6. The selective bird feeder of claim 1, wherein the top of the selective		

a a filiting transmir it phytopiatic act as

housing includes apertures having a maximum dimension of about 2.0 inches

17.

contacts the seed holder.

The selective bird feeder of claim 1, wherein the removable top directly

1

2

1	18. The selective bird feeder of claim 17, wherein the seed holder includes
2	a cap, and the removable top directly contacts the cap.
1	19. The selective bird feeder of claim 1, wherein the removable top is
2	spaced apart from the seed holder.
1	20. The selective bird feeder of claim 1, wherein the removable top
2	includes an aperture through which a portion of the seed holder extends.
1	21. The selective bird feeder of claim 19, wherein the seed holder includes
2	a cap, and further comprising a space between the removable top and the cap.
1	22. The selective bird feeder of claim 21, wherein the spacing between the
2	cap and the removable top is adjustable.
	the angling between the
1	23. The selective bird feeder of claim 21, wherein the spacing between the
2	cap and the removable top is adjustably limited.
	24. The selective bird feeder of claim 1, wherein the top of the selective
1	
2	housing is substantially solid.
1	25. The selective bird feeder of claim 1, wherein the top of the selective
1	
2	housing includes apertures.

1	26. The selective bird feeder of claim 1, wherein the seed holder extends
2	through the top.
1	27. A selective bird feeder, comprising:
2	a selective housing having a cylindrical sidewall and including apertures
3	having a width ranging from about 1.3 inches to about 1.7 inches;
4	a removable top supported at least on the cylindrical sidewall of the selective
5	housing;
6	a cylindrical seed holder contained within and spaced apart from the
7	cylindrical sidewall of the selective housing; and
8	a hanger attached to the selective bird feeder;
9	wherein the removable top is in direct contact with the cylindrical seed holder
10	and the sidewall of the selective housing.
1	28. The selective bird feeder of claim 27, wherein the selective housing
2	includes a base on which the seed holder is supported.
1	29. The selective bird feeder of claim 27, wherein the seed holder includes
2	a base on which the selective housing is supported.
1	30. The selective bird feeder of claim 27, wherein the hanger is attached
2	to the top.
1	31. The selective bird feeder of claim 27, wherein the hanger is attached
2	to the seed holder.
1	32. A selective bird feeder, comprising:
2	a selective housing having at least one sidewall and a base, the at least one
3	sidewall of the selective housing including a plurality of apertures;

uta sa ciuma na matamana militar

4	a seed holder at least partially contained within the selective housing and
5	supported by the base of the selective housing;
6	a space disposed between a sidewall of the seed holder and the at least one
7	sidewall of the selective housing;
8	a removable top in direct contact with the seed holder and supported by the at
9	least one sidewall of the selective housing, the removable top including an aperture
10	through which a portion of the seed holder extends;
11	the seed holder further including a cap spaced apart from the removable top
12	and further including a hanger attached to the cap.